

# Table of Contents

10.0	References .....	476
------	------------------	-----

# 10.0 References

## Chapter 2

Cabinet Secretariat. (2006, January 26). OC2006-026. Orders in Council Database. St. John's, NL: Government of Newfoundland and Labrador. Retrieved from Orders in Council Database: <https://www.exec-oic.gov.nl.ca/public/oic/details?order-id=11623>

Canadian Projects Limited. (CPL) (2023). Argentia Renewables Preliminary Engineering Report. Prepared for Pattern Energy, Toronto, ON M5V 2L1. vii + 51 pp., + 3 appendices.

D.W. Knight Associates. (2015). Town of Placentia Municipal Plan 2014-2024. St. John's: Department of Municipal and Provincial Affairs. Retrieved from <https://www.gov.nl.ca/mpa/files/registry-community-placentia-files-placentia-municipal-plan.pdf>

Department of Environment and Climate Change. (2023). Environmental Assessment - A Guide to the Process. St. John's: Government of Newfoundland and Labrador. Retrieved from [https://www.gov.nl.ca/ecc/files/GUIDE-TO-THE-PROCESS\\_September-2023.pdf](https://www.gov.nl.ca/ecc/files/GUIDE-TO-THE-PROCESS_September-2023.pdf)

Department of Environment and Climate Change. (2023). Environmental Assessment Guidance for Registration of Onshore Wind Energy Generation and Green Hydrogen Production Projects. St. John's: Government of Newfoundland and Labrador. Retrieved from [https://www.gov.nl.ca/ecc/files/env\\_assessment\\_EA-Guidance-for-Onshore-Wind-Energy-Generation-and-Green-Hydrogen-Production-Projects.pdf](https://www.gov.nl.ca/ecc/files/env_assessment_EA-Guidance-for-Onshore-Wind-Energy-Generation-and-Green-Hydrogen-Production-Projects.pdf)

Department of Industry, Energy and Technology. (2022, April 5). Ministerial Statement – Minister Parsons Announces End of Moratorium on Wind Development. St. John's, NL: Government of Newfoundland and Labrador. Retrieved from <https://www.gov.nl.ca/releases/2022/iet/0405n07/>

Department of Industry, E. and T. (2021). *Maximizing Our Renewable Future: A Plan for Development of the Renewable Energy Industry in Newfoundland Labrador*. Government of Newfoundland and Labrador.

Government of Newfoundland and Labrador. (2022). *Memorandum of Understanding (“MOU”) on cooperation in the field of green hydrogen and market opportunities*. <https://www.gov.nl.ca/exec/ias/files/MOU-NL-and-Port-of-Rotterdam.pdf>

Newfoundland Labrador Hydro. (n.d.). *Vegetation Management*. Retrieved January 24, 2024, from <https://nlhydro.com/environment/vegetation-management/>

## Chapter 3

D. W. Knight Associates. (2015). *Town of Placentia Municipal Plan 2014—2024*. Town of Placentia. <https://www.gov.nl.ca/mpa/files/registry-community-placentia-files-placentia-municipal-plan.pdf>

Department of Fisheries and Oceans Canada. (2023a). *Anglers' Guide 2023-2024—Newfoundland and Labrador scheduled Salmon Rivers*. <https://www.nfl.dfo-mpo.gc.ca/en/anglers-guide-2023-2024-newfoundland-and-labrador-scheduled-salmon-rivers>

Department of Fisheries and Oceans Canada. (2023b). *NL ANGLERS' GUIDE 2023-2024*. <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/4111131x.pdf>

Management of Greenhouse Gas Act, Pub. L. No. SNL2016 CHAPTER M-1.001 (2016).

Pike, P. (n.d.). *New Ktaqmkuk Mikmaq History*. <https://municipalnl.ca/site/uploads/2021/11/New-Ktaqmkuk-Mikmaq-History-PPT.pdf>

DFO. (2018). A Canadian Action Plan to Address the Threat of Aquatic Invasive Species. Fisheries and Oceans Canada. Retrieved November 2023, from <https://www.dfo-mpo.gc.ca/species-especes/publications/ais-eae/plan/page05-eng.html#:~:text=Key%20Pathways%20for%20Introduction%20or%20Spread%201%201,...%207%207.%20Canals%20and%20water%20diversions%20>

DFO. (2019). Aquatic Invasive Species Regulations. Fisheries and Oceans Canada. Retrieved November 2023, from <https://www.dfo-mpo.gc.ca/species-especes/ais-eae/regulations-reglements/index-eng.html>

DFO. (2022). Preventing the spread of aquatic invasive species. Fisheries and Oceans Canada. Retrieved November 2023, from <https://tc.canada.ca/en/campaigns/protecting-our-coasts-oceans-protection-plan/better-protected-coastal-ecosystems/preventing-spread-aquatic-invasive-species>

Gov. CA. (2019). Managing Ballast Water. Government of Canada. Retrieved November 2023, from <https://tc.canada.ca/en/marine-transportation/marine-pollution-environmental-response/preventing-aquatic-invasive-species-marine-transportation/managing-ballast-water>

Gov. CA. (2021). Ballast Water Regulations. Canada Gazette, Part II, Volume 155, Number 13. SOR/2021-120. Operate under CANADA. Government of Canada. Retrieved November 2023, from <https://canadagazette.gc.ca/rp-pr/p2/2021/2021-06-23/html/sor-dors120-eng.html>

- ASMFC. (n.d.). American eel. Atlantic States Marine Fisheries Commission, Washington. Retrieved from October 2023, from <https://www.asmfc.org/species/american-eel#:~:text=American%20eel%20are%20a%20panmictic,Lawrence%20River%20in%20Canada>.
- COSEWIC. (2010a). COSEWIC assessment and status report on the Atlantic Salmon (*Salmo salar*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xvii + 136 pp.
- COSEWIC. (2010b). COSEWIC assessment and status report on the Loggerhead Sea Turtle (*Caretta caretta*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. viii +75 pp.
- COSEWIC. (2011c). COSEWIC assessment and status report on the Atlantic Sturgeon (*Acipenser oxyrinchus*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xiii + 49 pp.
- COSEWIC. (2011d). COSEWIC assessment and status report on the Northern Bottlenose Whale (*Hyperoodon ampullatus*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xii + 31 pp.
- COSEWIC. (2012a). COSEWIC assessment and status report on the American Eel (*Anguilla rostrata*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xii + 109 pp.
- COSEWIC. (2012b). COSEWIC assessment and status report on the Atlantic Wolffish (*Anarhichas lupus*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. ix + 58 pp.
- COSEWIC. (2012c). COSEWIC assessment and status report on the Leatherback Sea Turtle *Dermochelys coriacea* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xv + 58 pp.
- COSEWIC. (2013). COSEWIC assessment and status report on the North Atlantic Right Whale *Eubalaena glacialis* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xi + 58 pp.
- COSEWIC. (2014). COSEWIC assessment and status report on the Banded Killifish *Fundulus diaphanus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. x + 22 pp.

- COSEWIC. (2019a). COSEWIC assessment and status report on the Fin Whale *Balaenoptera physalus*, Atlantic population and Pacific population, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xv + 72 pp.
- COSEWIC. (2019b). COSEWIC assessment and status report on the Sowerby's Beaked Whale *Mesoplodon bidens* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xi + 41 pp.
- COSEWIC. (2021). COSEWIC assessment and status report on the White Shark *Carcharodon carcharias*, Atlantic population, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xi + 55 pp.
- DFO. (2010). Aquatic Invasive Species: European Green Crab in Newfoundland Waters. Fisheries and Oceans Canada. Retrieved September 2023, from [https://publications.gc.ca/collections/collection\\_2010/mpo-dfo/Fs23-555-1-2010-eng.pdf](https://publications.gc.ca/collections/collection_2010/mpo-dfo/Fs23-555-1-2010-eng.pdf)
- DFO. (2011a). Aquatic Invasive Species: Coffin Box in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from
- DFO. (2011b). Aquatic Invasive Species: Violet Tunicate in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365576.pdf>
- DFO. (2013a). Aquatic Invasive Species: Oyster Thief in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365569.pdf>
- DFO. (2013b). Aquatic Invasive Species: Vase Tunicate in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365574.pdf>
- DFO. (2017). Action Plan for the Northern Bottlenose Whale (*Hyperoodon ampullatus*), Scotian Shelf population, in Atlantic Canadian waters. Species at Risk Act Action Plan Series. Fisheries and Oceans Canada, Ottawa. iv + 37 pp.
- DFO. (2019). About aquatic invasive species. Department of Fisheries and Oceans, Canada. Retrieved October 2023, from <https://www.dfo-mpo.gc.ca/species-especes/ais-eae/about-sur/index-eng.html>

- DFO. (2020a). Action Plan for the Blue Whale (*Balaenoptera musculus*), Northwest Atlantic Population, in Canada. Species at Risk Act Action Plan Series. Fisheries and Oceans Canada, Ottawa. iv + 23 pp.
- DFO. (2020b). Assessment of the Distribution, Movements, and Habitat Use of Northern Bottlenose Whales on the Scotian Shelf to Support the Identification of Important Habitat. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2020/008.
- DFO. (2021). Action Plan for the North Atlantic Right Whale (*Eubalaena glacialis*) in Canada. Species at Risk Act Action Plan Series. Fisheries and Oceans Canada, Ottawa. v + 46 pp.
- DFO. (2022). Golder Start Tunicate. Fisheries and Oceans Canada. <https://www.dfo-mpo.gc.ca/species-especies/profiles-profil/goldenstartunicate-botrylleetoile-eng.html>
- DFO. (2023a). Aquatic Invasive Species: identified Booklet of Marine Species in Eastern Canada. Fisheries and Oceans Canada. <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/40961242.pdf>
- DFO. (2023b). Atlantic Salmon Fishway Counts: Newfoundland and Labrador Region. Fisheries and Oceans Canada. <https://www.nfl.dfo-mpo.gc.ca/en/atlantic-salmon-fishway-counts>
- ECCC. (2020) Canadian Environmental Sustainability Indicators: Eelgrass in Canada. Environment and Climate Change Canada. [www.canada.ca/en/environment-climate-change/services/environmental-indicators/eelgrasscanada.html](http://www.canada.ca/en/environment-climate-change/services/environmental-indicators/eelgrasscanada.html).
- ECCC. (2023). Species at risk public registry. Environment and Climate Change Canada. Retrieved October 2023, from <https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry.html>
- Gov.CA. (2021). Northern Bottlenose Whale (*Hyperoodon ampullatus*), Scotian Shelf population. Government of Canada. Retrieved October 2023, from <https://species-registry.canada.ca/index-en.html#/species/162-299>
- Fisheries, Forestry and Agriculture (FFA). (n.d.) Species at Risk. Government of Newfoundland and Labrador. Retrieved October 2023, from <https://www.gov.nl.ca/ffa/wildlife/endangeredspecies/>
- Kaschner, K., Kesner-Reyes, K., Garilao, C., Segschneider, J., Rius-Barile, J. Rees, T., & Froese, R. (2019, October). AquaMaps: Predicted range maps for aquatic species. Retrieved October 2023, from <https://www.aquamaps.org>.

- LGL Limited. (2019). Placentia Bay Atlantic Salmon Aquaculture Project. Environmental effects Monitoring Plan: Fish, Sea Turtles, Marine Mammals, and Seabirds. LGL Rep. FA0159E. Rep. by LGL Limited, St. John's, NL for Grieg NL, Marystown, NL. 12 p. + appendix.
- McKenzie, C. H., Matheson, K., Reid, V., Wells, T., Moulard, D., Green, D., ... & Perry, G. (2016). The development of a rapid response plan to control the spread of the solitary invasive tunicate, *Ciona intestinalis* (Linnaeus, 1767), in Newfoundland and Labrador, Canada. *Management of Biological Invasions*, 7(1).
- Sardain, A., Sardain, E., & Leung, B. (2019). Global forecasts of shipping traffic and biological invasions to 2050. *Nature Sustainability*, 2(4), 274-282.
- SSAC. (2016). Status Review for Mummichog [*Fundulus heteroclitus macrolepidotus*] in Newfoundland and Labrador. Species Status Advisory Committee, Wildlife Division, Department of Environment and Conservation, Government of Newfoundland and Labrador, Corner Brook, Newfoundland and Labrador, Canada.

### Section 3.1.1

- Air Pollution Control Regulations, Pub. L. No. NNLR 11/22 (2022).  
<https://www.assembly.nl.ca/Legislation/sr/regulations/rc220011.htm>
- Alberta Energy Regulator. (2023). *Directive 038: Noise Control* (Issue April, pp. 1–52).
- Batterson, M., & Liverman, D. (2010). Past and future sea-level change in Newfoundland and Labrador: Guidelines for policy and planning. *Current Research*, 129–141.
- Bortle, J. E. (2001). Introducing the Bortle Dark-Sky Scale. *Sky & Telescope, February*, 126–130.
- Environment and Climate Change Canada. (2023). *National Air Pollutant Surveillance (NAPS) Program. Ambient Air Quality Data for Mount Pearl 2020-2022*.  
<https://www.canada.ca/en/environment-climate-change/services/air-pollution/monitoring-networks-data/national-air-pollution-program.html>
- Falchi, F., Cinzano, P., Duriscoe, D., Kyba, C. C. M., Elvidge, C. D., Baugh, K., Portnov, B. A., Rybnikova, N. A., & Furgoni, R. (2016a). The new world atlas of artificial night sky brightness. *Science Advances*, 2(6), 1–26. <https://doi.org/10.1126/sciadv.1600377>

- Falchi, F., Cinzano, P., Duriscoe, D., Kyba, C. C. M., Elvidge, C. D., Baugh, K., Portnov, B. A., Rybnikova, N. A., & Furgoni, R. (2016b). The new world atlas of artificial night sky brightness. In *Science Advances* (Vol. 2, Issue 6). GFZ Data Services. <https://doi.org/10.1126/sciadv.1600377>
- Finnis, J. (2013). *Projected Impacts of Climate Change for Newfoundland & Labrador*.
- Finnis, J., & Daraio, J. (2018). *Projected Impacts of Climate Change for the Province of Newfoundland & Labrador: 2018 Update*.
- FPT Committee on Health and the Environment Working Group on Wind Turbine Noise. (2012). *Guidelines for Wind Turbine Noise*. Secretariat: Health Canada, Environmental and Radiation Health Sciences Directorate, Healthy Environments and Consumer Safety Branch, Health Canada.
- Government of Canada. (2023a). *Canadian Climate Normals 1971-2000 Station Data, Long Harbour NL*.  
[https://climate.weather.gc.ca/climate\\_normals/results\\_e.html?searchType=stnName&txtStationName=long+harbour&searchMethod=contains&txtCentralLatMin=0&txtCentralLatSec=0&txtCentralLongMin=0&txtCentralLongSec=0&stnID=6673&dispBack=1](https://climate.weather.gc.ca/climate_normals/results_e.html?searchType=stnName&txtStationName=long+harbour&searchMethod=contains&txtCentralLatMin=0&txtCentralLatSec=0&txtCentralLongMin=0&txtCentralLongSec=0&stnID=6673&dispBack=1)
- Government of Canada. (2023b). *Historical Data, Argentia (AUT), NL*.  
[https://climate.weather.gc.ca/climate\\_data/daily\\_data\\_e.html?hlyRange=1987-01-01%7C2023-09-06&dlyRange=1992-12-01%7C2023-09-06&mlyRange=2004-01-01%7C2007-07-01&StationID=10113&Prov=NL&urlExtension=\\_e.html&searchType=stnProv&optLimit=yearRange&StartYear=18](https://climate.weather.gc.ca/climate_data/daily_data_e.html?hlyRange=1987-01-01%7C2023-09-06&dlyRange=1992-12-01%7C2023-09-06&mlyRange=2004-01-01%7C2007-07-01&StationID=10113&Prov=NL&urlExtension=_e.html&searchType=stnProv&optLimit=yearRange&StartYear=18)
- Health Canada. (2017). *Guidance for Evaluating Human Health Impacts in Environmental Assessment: Noise* (pp. 1–50).
- Newfoundland and Labrador Department of Environment and Climate Change. (n.d.). *Provincial GHG Data for 2016-2022 - Newfoundland and Labrador Industrial Facilities (AR4 GWP)*.  
<https://www.gov.nl.ca/ecc/files/NL-Industrial-Facilities-Provincial-GHG-Data-for-Website-2016-2022-1.pdf>
- Newfoundland and Labrador Department of Environment and Climate Change. (2021). *2020 Ambient Air Monitoring Report* (Issue June).
- Newfoundland and Labrador Department of Environment and Climate Change. (2023). *2022 Ambient Air Monitoring Report* (Issue April).



Nova Scotia Environment and Climate Change. (2023). *Guidelines for Environmental Noise Measurement and Assessment* (p. 19). <https://2rvpwt3v9gg32uh9vv1lr27s-wpengine.netdna-ssl.com/wp-content/uploads/2021/01/EnvironmentalNoiseMeasurement.pdf>

Ontario Ministry of the Environment and Climate Change. (2017). *Air Dispersion Modelling Guideline for Ontario [Guideline A-11]* (p. 158).

Protected Areas Association of Newfoundland and Labrador (PAANL). (2008). Maritime barrens: Southeastern barrens subregion. In *Newfoundland and Labrador Ecoregion Brochures* (p. 4).

The Institution of Lighting Engineers. (2005). *Guidance Notes for the Reduction of Obtrusive Light* (pp. 1–4).

## Section 3.1.2

AMEC. (2007). Freshwater Component Study for Commercial Nickel Processing Plant, Long Harbour, NL. Submitted to Voisey's Bay Nickel Company Limited. TF6106226-Final. 156p. Retrieved September 2023, from <https://www.gov.nl.ca/ecc/files/env-assessment-projects-y2008-1243-freshwater-cs.pdf>

AMEC. (2013). Hydrogeology of Eastern Newfoundland. AMEC Environment & Infrastructure A Division of AMEC Americas Limited (January 2013). Retrieved 2023, from <https://www.gov.nl.ca/ecc/files/waterres-cycle-groundwater-hydrogeology-eastern-nl.pdf>

ASMFC. (n.d.). American eel. Atlantic States Marine Fisheries Commission, Washington. Retrieved from October 2023, from <https://www.asmfc.org/species/american-eel#:~:text=American%20eel%20are%20a%20panmictic,Lawrence%20River%20in%20Canada.>

Atlantic Pilotage Authority (APA). (n.d.). Atlantic Pilotage Authority, Compulsory Areas, Placentia Bay. Retrieved November 2023, from <https://www.atlanticpilotage.com/operations/compulsory-areas/placentia-bay/>

Baggs, E. M. (1988). Selected aspects of the life history of *Salvelinus fontinalis* (Mitchill) in Big Northern Pond, an acid headwater pond of the Topsail-Manuels watershed, Avalon Peninsula, Newfoundland, Canada (Doctoral dissertation, Memorial University of Newfoundland).

Beak Consultants Ltd. (1981). Fisheries investigations for the Upper Salmon hydroelectric development: Phase IV salmonid migration studies on the West Salmon River. Prepared for Newfoundland and Labrador Hydro, St. John's, NL. 94p.

- Bradbury, C., Roberge, M. H. M., & Minns, C. K. (1999). Life history characteristics of freshwater fishes occurring in Newfoundland and Labrador, with major emphasis on lake habitat requirements. Minister of Supply and Services Canada.
- Bradbury, I.R., Hamilton, L.C., Rafferty, S., Meerburg, D., Poole, R., Dempson, J.B., Robertson, M.J., Reddin, D.G., Bourret, V., Dionne, M., Chaput, G., Sheehan, T.F., King, T.L., Candy, J.R., and L. Bernatchez. (2015). Genetic evidence of local exploitation of Atlantic salmon in a coastal subsistence fishery in the Northwest Atlantic. *Can. J. Fish. Aquat. Sci.* 72: 83-95.
- Canadian Council of Ministers of the Environment (CCME CEQG). (n.d.). Canadian Environmental Quality Guidelines (CEQGs) provide science-based goals for the quality of aquatic and terrestrial ecosystems. Retrieved December 5, 2023, from <https://ccme.ca/en/current-activities/canadian-environmental-quality-guidelines>
- Canadian Council of Ministers of the Environment (CCME CEQG). (2003). Canadian water quality guidelines for the protection of aquatic life: Guidance on the Site-Specific Application of water quality guidelines in Canada: Procedures for deriving numerical water quality objectives. In: Canadian environmental quality guideline. Retrieved March 2024, from <https://ccme.ca/en/current-activities/canadian-environmental-quality-guidelines>
- Canadian Hydrographic Services (CHS). (2022). Stations. Government of Canada. Retrieved November 2023, from <https://tides.gc.ca/en/stations>
- Canadian Parks and Wilderness Society (CPAWS). (2009). Special Marine Areas in Newfoundland and Labrador: Areas of Interest in Our Marine Backyards. Prepared for CPAWS-NL. Available at: [http://cpaws.org/uploads/pubs/report\\_nlmarineguide.pdf](http://cpaws.org/uploads/pubs/report_nlmarineguide.pdf) [accessed April 2024]
- Canadian Parks and Wilderness Society Newfoundland and Labrador (CPAWS-NL). (2018). Special Marines Areas in Newfoundland and Labrador Second Edition. Canadian Parks and Wilderness Society Newfoundland and Labrador Chapter. ISBN: 978-1-7752872-0-9. 162p.
- Canadian Projects Limited. (CPL) (2023). Argentia Renewables Preliminary Engineering Report. Prepared for Pattern Energy, Toronto, ON M5V 2L1. vii + 51 pp., + 3 appndices.
- Carscadden, J.E., K.T. Frank, and D.S. Miller. (1989). Capelin (*Mallotus villosus*) spawning on the Southeast Shoal: influence of physical factors past and present. *Can. J. Fish. Aquat. Sci.* 46(10): 1743-1754.

- Catto, N. R., Hooper, R. G., Anderson, M.R., Scruton, D. A., Meade, J. D., Ollerhead, L.M.N. and Williams, U.P. (1999). Biological and Geomorphological Classification of Placentia Bay: A preliminary Assessment. Can. Tech. Rep. Fish. Aquat. Sci., 2289, 29 pp.
- Christian, J.R. and E. Lee. (1998). Nickel Smelter/Refinery Environmental Baseline Study, Marine Environment, 1998. Rep. by LGL Limited, St. John's, NL for Voisey's Bay Nickel Company Limited, St. John's, NL. 47 pp. + App.
- Clarke, K. and R, Perry. (2014). An Overview of the Brook Trout Fishery of Newfoundland and Labrador. Conference Paper, Canadian Conference for Fisheries Research, Yellowknife NWT, January 3-5, 2014.
- Coad, B. W., & Power, G. (1973). Observations on the ecology and phenotypic variation of the threespine stickleback, *Gasterosteus aculeatus* L., 1758, and the blackspotted stickleback, *G. wheatlandi* Putnam, 1867 (Osteichthyes: Gasterosteidae) in Amory Cove, Quebec. Canadian Field-Naturalist, 87, 113-122.
- Colbourne, E., Holden, J., Senciall, D., Bailey, W., Snook, S., & Higdon, J. (2016). Physical Oceanographic Conditions on the Newfoundland and Labrador Shelf during 2015. Canadian Science Advisory Secretariat, Res. Doc. 2016/079. 40 p.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). (2003). COSEWIC assessment and update status report on the Atlantic cod *Gadus morhua* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xi + 76 pp.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). (2004). COSEWIC assessment and status report on the porbeagle shark *Lamna nasus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. viii + 43 pp.
- COSEWIC. (2006). COSEWIC assessment and status report on the white shark *Carcharodon carcharias* (Atlantic and Pacific populations) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 31 p.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). (2009). COSEWIC assessment and status report on the American Plaice *Hippoglossoides platessoides*, Maritime population, Newfoundland and Labrador population and Arctic population, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. x + 74 pp.

- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). (2010). COSEWIC assessment and status report on the Atlantic Salmon (*Salmo salar*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xvii + 136 pp.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). (2012). COSEWIC assessment and status report on the American Eel *Anguilla rostrata* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xii + 109 pp.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). (2023). Committee on the Status of Endangered Wildlife in Canada. Retrieved 2023, from <https://cosewic.ca/index.php/en/>
- Cowan, G. M., & Baggs, E. M. (1988). Incidences of lacustrine spawning of the ouananiche, *Salmo salar*, and the brook charr, *Salvelinus fontinalis*, on the Avalon Peninsula, Newfoundland. *Journal of fish biology*, 32(2), 311-312.
- Davis, C. C. (1986). A comparison of the zooplankton in two Newfoundland bays with differing influences from major currents. *Internationale Revue der gesamten Hydrobiologie und Hydrographie*, 71(1), 11-47.
- Dillon Consulting (Dillon). (2023). PORT OF ARGENTIA, Cooper Cove Marine Terminal Expansion Project, Initial Project Description - Newfoundland and Labrador. Doc. 21-3088. 289pp.
- DFO, (2007). Sea Scallop Status on St. Pierre Bank. DFO Can. Sci. Advis. Sec. Sci. Resp. 2007/006.
- DFO. (2007a). Placentia Bay Integrated Management Plan. Fisheries and Oceans Canada. DFO/2007-1292.
- DFO. (2008). Integrated Management Planning, Placentia Bay, Newfoundland and Labrador. 1. 2008. St. John's, Newfoundland and Labrador Region, Cat # Fs114-6/2008 Ref Type: Pamphlet
- DFO. (2009). Does eelgrass (*Zostera marina*) meet the criteria as an ecologically significant species? DFO Canadian Science Advisory Secretariat Science Advisory Report, 2009/018: 11 pp.
- DFO. (2009). Assessment of Newfoundland East and South Coast Herring Stocks to 2008. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2008/049. Husky 2012.
- DFO. (2009). Assessment of Newfoundland East and South Coast Herring Stocks to 2008. Canadian Science Advisory Secretariat Science Advisory Report, 2008/049.

- DFO. (2010). Aquatic Invasive Species: European Green Crab in Newfoundland Waters. Fisheries and Oceans Canada. Retrieved September 2023, from [https://publications.gc.ca/collections/collection\\_2010/mpo-dfo/Fs23-555-1-2010-eng.pdf](https://publications.gc.ca/collections/collection_2010/mpo-dfo/Fs23-555-1-2010-eng.pdf)
- DFO. (2011). Recovery Potential Assessment of American Plaice (*Hippoglossoides platessoides*) in Newfoundland and Labrador. Canadian Science Advisory Secretariat Science Advisory Report. 2011/030.
- DFO. (2011a). Aquatic Invasive Species: Coffin Box in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365565.pdf>
- DFO. (2011b). Aquatic Invasive Species: Violet Tunicate in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365576.pdf>
- DFO. (2012). Placentia Bay/Grand Banks Large Ocean Management Area. Secretariat Oceans Division Ecosystems Management Branch Newfoundland and Labrador Region. Fisheries and Oceans Canada.
- DFO. (2012a). State of the Ocean for the Placentia Bay - Grand Banks Large Ocean Management Area. Canadian Manuscript Report of Fisheries and Aquatic Sciences. 2983: viii + 34 p.
- DFO. (2013). Aquatic Invasive Species: Oyster Thief in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365569.pdf>
- DFO. (2013a). Aquatic Invasive Species: Vase Tunicate in Newfoundland and Labrador Waters. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/365574.pdf>
- DFO. (2015). Assessment of Capelin in Subarea 2 and Divisions 3KL in 2015. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2015/036.
- DFO. (2016a). Assessment of Newfoundland and Labrador (Divisions 2HJ3KLNOP4R) Snow Crab. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2016/013.
- DFO. (2016b). Assessment of American Lobster in Newfoundland. Canadian Science Advisory Secretariat Science Advisory Report. 2016/052.

- DFO. (2017). Action Plan for the Northern Bottlenose Whale (*Hyperoodon ampullatus*), Scotian Shelf population, in Atlantic Canadian waters. Species at Risk Act Action Plan Series. Fisheries and Oceans Canada, Ottawa. iv + 37 pp.
- DFO. (2017a). Guidance on the level of protection of significant areas of coldwater corals and sponge-dominated communities in Newfoundland and Labrador waters. Canadian Science Advisory Secretariat Sci. Resp. 2017/030.
- DFO. (2018). Identification of habitat important to the Blue Whale in the Western North Atlantic. Can. Sci. Advis. Sec. Sci. Advis. Rep. 2018/003.Additional
- DFO. (2018a). A Canadian Action Plan to Address the Threat of Aquatic Invasive Species. Retrieved September 2023, from <https://www.dfo-mpo.gc.ca/species-especes/publications/ais-eae/plan/page05-eng.html#:~:text=Key%20Pathways%20for%20Introduction%20or%20Spread%201%201,...%207%207.%20Canals%20and%20water%20diversions%20>
- DFO. (2019). Survey of Recreational Fishing in Canada, 2015. Fisheries and Oceans Canada. Retrieved January 2024, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/40753220.pdf>
- DFO. (2019a). Aquatic Invasive Species Regulations. Fisheries and Oceans Canada. Retrieved November 2023, from <https://www.dfo-mpo.gc.ca/species-especes/ais-eae/regulations-reglements/index-eng.html>
- DFO. (2019b). Assessment of Newfoundland and Labrador (Divisions 2HJ3KLNOP4R) Snow Crab. DFO Can. Sci. Advis. Sec. Sci. Advis. Rep. 2019/041.
- DFO. (2019c). Re-evaluation of the Placentia Bay-Grand Banks Area to Identify Ecologically and Biologically Significant Areas. Canadian Science Advisory Secretariat Science Advisory Report. 2019/040.
- DFO. (2019d). Re-evaluation of the Placentia Bay-Grand Banks Area to Identify Ecologically and Biologically Significant Areas. Canadian Science Advisory Secretariat Science Advisory Report. 2019/040.
- DFO. (2020) Atlantic Salmon - Newfoundland and Labrador Region. Fisheries and Oceans Canada. Retrieved September 2023, from <https://www.dfo-mpo.gc.ca/fisheries-peches/ifmp-gmp/salmon-saumon/2020/index-eng.html>

- DFO. (2020a). Assessment of the American Plaice (*Hippoglossoides platessoides*) stock in NAFO Subdivision 3Ps in 2019. Canadian Science Advisory Secretariat Res. Doc. 2020/019. iv+ 17 p.
- DFO. (2020b). Using Satellite Tracking Data to Define Important Habitat for Leatherback Turtles in Atlantic Canada: 2019 Update. Canadian Science Advisory Secretariat Sci. Resp. 2020/041
- DFO. (2021). Stock Assessment of NAFO Subdivision 3Ps Cod. Canadian Science Advisory Secretariat Science Advisory Report. 2021/031.
- DFO. (2021a). Assessment of American Lobster in Newfoundland. Canadian Science Advisory Secretariat Science Advisory Report. 2021/008.
- DFO. (2022). Seafisheries Landings. Retrieved January 2024, from <https://www.dfo-mpo.gc.ca/stats/commercial/sea-maritimes-eng.htm>
- DFO. (2022a). Fisheries and Oceans Canada in the Newfoundland and Labrador Region. Fisheries and Oceans Canada. Retrieved January 2024, from <https://www.dfo-mpo.gc.ca/contact/regions/newfoundland-terreneuve-eng.html>
- DFO. (2022b). Notice to Fish Harvester: Opening Dates for Eel Fishery in Inland Waters. Retrieved February 2024, from <https://www.nfl.dfo-mpo.gc.ca/en/node/1208>
- DFO. (2022c). Stock Assessment of NAFO Subdivision 3Ps Cod. Canadian Science Advisory Secretariat Science Advisory Report. 2022/022.
- DFO. (2022d). Oceanographic Conditions in the Atlantic Zone in 2021. Canadian Science Advisory Secretariat Science Advisory Report. 2022/025.
- DFO. (2022e). Stock Assessment of Newfoundland and Labrador Atlantic Salmon in 2020 Canadian Science Advisory Secretariat Science Advisory Report. 2022/031.
- DFO. (2022f). Preventing the spread of aquatic invasive species. Fisheries and Oceans Canada. Retrieved November 2023, from <https://tc.canada.ca/en/campaigns/protecting-our-coasts-oceans-protection-plan/better-protected-coastal-ecosystems/preventing-spread-aquatic-invasive-species>
- DFO. (2022g). Decisions for Atlantic Canada, Quebec and the Arctic – 2022. Fishery and Oceans Canada. Retrieved January 2024, from <https://www.dfo-mpo.gc.ca/fisheries-peches/decisions/fm-2022-gp/index-atl-eng.html#groundfish>

- DFO. (2022h). Golder Start Tunicate. Fisheries and Oceans Canada. Retrieved September 2023, from <https://www.dfo-mpo.gc.ca/species-especes/profiles-profils/goldenstartunicate-botrylleetoile-eng.html>
- DFO. (2023). 2021 Stock Status Update of Atlantic Salmon in Newfoundland and Labrador. DFO Can. Sci. Advis. Sec. Sci. Resp. 2023/036, 33 pp.
- DFO. (2023). 3PSc Landings and Values of Commercial Fisheries 2018-2022. Personal DFO communication (Kathleen Lundrigan). Economic Analysis and Statistics. Fisheries and Oceans Canada.
- DFO. (2023a). Coastal Water Recreational Fishery Information Newfoundland and Labrador Region. Fisheries and Oceans Canada. Received January 2024, from <https://www.nfl.dfo-mpo.gc.ca/en/coastal-water-recreational-fishery-information-newfoundland-and-labrador-region>
- DFO. (2023b). Anglers' Guide 2023-2024. Fisheries and Oceans Canada. Retrieved December 2023, from <https://www.nfl.dfo-mpo.gc.ca/NL/AG/anglersguide>
- DFO. (2023c). Atlantic Salmon Fishway Counts. Newfoundland and Labrador Region. Fisheries and Oceans Canada. Retrieved in August and November 2023, from <https://www.nfl.dfo-mpo.gc.ca/en/atlantic-salmon-fishway-counts>
- DFO. (2023d). 3PSc Landings and Values of Commercial Fisheries 2018-2022. Personal DFO communication (Kathleen Lundrigan). Economic Analysis and Statistics. Fisheries and Oceans Canada.
- DFO. (2023e). Canada Marine Planning Atlas – Atlantic. Government of Canada. Retrieved January 2024, from <https://gisp.dfo-mpo.gc.ca/apps/Atlantic-Atlas/?locale=en>
- DFO. (2023f). Coastal Water Recreational Fishery Information Newfoundland and Labrador Region. Fisheries and Oceans Canada. Received January 2024, from <https://www.nfl.dfo-mpo.gc.ca/en/coastal-water-recreational-fishery-information-newfoundland-and-labrador-region>
- DFO. (2023g). Aquatic Invasive Species: identified Booklet of Marine Species in Eastern Canada. Fisheries and Oceans Canada. Retrieved September 2023, from <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/40961242.pdf>
- DFO. (2023h). 2023 Newfoundland and Labrador Recreational Groundfish Fishery. Fisheries and Oceans Canada. Received November 2023, from <https://www.dfo-mpo.gc.ca/fisheries-peches/decisions/fm-2023-gp/atl-31-eng.html>



- DFO. (2023i). Vessel Density Mapping of 2022 AIS Data in the Northwest Atlantic. Retrieved May 2024, from <https://open.canada.ca/data/en/dataset/248e2e14-456c-414e-b093-14022d367fb0>
- DFO. (2024). Fisheries Licensing Policy Newfoundland and Labrador Region. Fisheries and Oceans Canada. Retrieved February 2024, from <https://www.dfo-mpo.gc.ca/reports-rapports/regs/licences-permis/nfld-Labrador-tn-labrador-eng.htm>
- Einarsson, S. M., Mills, D. H., & Johannsson, V. (1990). Utilisation of fluvial and lacustrine habitat by anadromous Atlantic salmon, *Salmo salar* L., in an Icelandic watershed. *Fisheries Research*, 10(1-2), 53-71.
- Ennis, G.P. (1984). Small-scale seasonal movements of the American lobster *Homarus americanus*. *Trans. Amer. Fish. Soc.* 113(3):330-335.
- Equinor Canada Ltd. (formerly Statoil) (Equinor) (2017). Flemish Pass Exploration Drilling Program - Environmental Impact Statement. (Chapter 7.0: Existing Human Environment). Retrieved October 2023, From <https://ceaa-acee.gc.ca/050/evaluations/document/121309?culture=en-CA>.
- Gibson, R. J. (1993). The Atlantic salmon in fresh water: spawning, rearing and production. *Reviews in fish biology and fisheries*, 3, 39-73.
- Goudie, I. and C. Jones. (2007). River otter in Inner Placentia Bay, Newfoundland. LGL Rep. SA914F. Rep. by LGL Limited, St. John's, NL. 21 p. + appendices.
- Grant, C. G. J., & Lee, E. M. (2004). Life history characteristics of freshwater fishes occurring in Newfoundland and Labrador, with major emphasis on riverine habitat requirements. *Fisheries and Oceans*.
- Gruenefeld, G. (1988). The Atlantic salmon: The Atlantic Salmon Federation's Special Publication Series No. 15.
- Havey, K. A., & Warner, K. (1970). The landlocked salmon (*Salmo salar*): its life history and management in Maine. Sport Fishing Institute.
- Health Canada (CDWQG) (n.d.). Guidelines for Canadian Drinking Water Quality - Summary Tables. Retrieved December 5, 2023, from <https://www.canada.ca/en/health-canada/services/environmental-workplace-health/reports-publications/water-quality/guidelines-canadian-drinking-water-quality-summary-table.html>

- Husky Energy (2012). White Rose Extension Project. Registration WH-DWH-RP-0013. Retrieved March 2024, from <https://www.gov.nl.ca/ecc/files/env-assessment-projects-y2012-1665-1665-registration.pdf>
- Hutchings, J. A. (1986). Lakeward migrations by juvenile Atlantic salmon, *Salmo salar*. Canadian Journal of Fisheries and Aquatic Sciences, 43(4), 732-741.
- Indigenous Guardians Toolkit, (n.d.). Miawpukek First Nation, Retrieved January 2024, from <https://www.indigenousguardianstoolkit.ca/communities/miawpukek-first-nation>
- IUCN (2024). The IUCN Red List of Threatened Species. Version 2023-1. ISSN 2307-8235. Retrieved May 2024, from <https://www.iucnredlist.org>
- Jacques Whitford Environment Limited (JWEL). (1997). Environmental Baseline Study, Smelter/Refinery Site, Argentia, NF - Final Report Marine Baseline Study and Habitat Survey. Prepared for Voisey's Bay Nickel Company Limited, St. John's, NL. 56 pp. + App.
- Kearley, W. (2012). Here's the Catch: The Fish We Harvest from the Northwest Atlantic. Boulder Publications, Portugal Cove-St. Philips, NL. 165 p.
- KGS Group. (2022). Climate Change Flood Risk Mapping Study for Placentia, Carbonear, Victoria, and Salmon Cove. Retrieved July 2024 from <https://www.gov.nl.ca/ecc/files/Climate-Change-Flood-Risk-Mapping-Study-for-Placentia-Carbonear-Victoria-and-Salmon-Cove-Rev0.pdf>
- King, A.F. (1988). Geology of the Avalon Peninsula, Newfoundland (parts of 1K, 1L, 1M, 1N and 2C). Newfoundland Department of Mines and Energy, Mineral Development Division, Map 88-01.
- Lawson, G.L. and G.A. Rose. (2000a). Small-scale spatial and temporal patterns in spawning of Atlantic cod (*Gadus morhua*) in coastal Newfoundland waters. Can. J. Fish. Aquat. Sci. 57(5): 1011-1024.
- Leggett, W. C. (1965). The effect of environment on the food, growth, reproduction, and survival of ouananiche in eastern Canada. Resource Development Branch, Newfoundland Region, Fisheries Service.
- LGL Limited (LGL). (2007). Marine Environment Component Study of Long Harbour, Placentia Bay and Vicinity: Climate and Oceanography, Marine Ecology, Commercial Fisheries and Aquaculture, Bald Eagle, Marine Birds and Other Avifauna, River Otter. LGL Rep. SA889. Report by LGL Limited, St. John's, NL, for Voisey's Bay Nickel Company Limited, St. John's, NL

- LGL Limited (LGL). (2018). Fish and Fish Habitat. Component Study for the Environmental Impact Statement of the Placentia Bay Atlantic Salmon Aquaculture Project. LGL Rep. FA0144-2. Rep. by LGL Limited, St. John's, NL for Grieg NL, Marystown, NL. 71 p. + appendices.
- LGL Limited (LGL). (2019). Placentia Bay Atlantic Salmon Aquaculture Project. Environmental Effects Monitoring Plan: Fish, Sea Turtles, Marine Mammals, and Seabirds. LGL Rep. FA0159E. Rep. by LGL Limited, St. John's, NL for Grieg NL, Marystown, NL. 12 p. + appendix.
- Maclsaac, B. I., King, T. L., & Ortmann, A. C. (2023). State of Knowledge on Fate and Behaviour of Ship-Source Petroleum Product Spills: Volume 7, St. John's & Placentia Bay, Newfoundland & Labrador. Canadian Manuscript Report of Fisheries and Aquatic Sciences, 3253.
- Marinetraffic. (n.d.). Density Maps 2022. Data from Placentia Bay. Retrieved September 2023, from <https://www.marinetraffic.com>
- Matheson, K., McKenzie, C.H., Gregory, R.S., Robichaud, D.A., Bradbury, I.R., Snelgrove, P.V.R., and G.A. Rose. (2016). Linking eelgrass decline and impacts on associated fish communities to European green crab *Carcinus maenas* invasion. Mar. Ecol. Prog. Ser. 548: 31-45.
- McKenzie, C. H., Matheson, K., Reid, V., Wells, T., Mouland, D., Green, D., ... & Perry, G. (2016a). The development of a rapid response plan to control the spread of the solitary invasive tunicate, *Ciona intestinalis* (Linnaeus, 1767), in Newfoundland and Labrador, Canada. Management of Biological Invasions, 7(1).
- NatureWatch. (2024). Learn about the Frogs of Newfoundland & Labrador. Retrieved March 2024, from <https://www.naturewatch.ca/frogwatch/newfoundland-labrador/>
- Navionics. (n.d.). Navigation Maps. Retrieved December 2023, from [https://webapp.navionics.com/?lang=en#boating/menu@10&key=igw\\_Hjhahl](https://webapp.navionics.com/?lang=en#boating/menu@10&key=igw_Hjhahl)
- Newfoundland and Labrador Department of Environment and Lands (NLDEL). (1992). Water Resources Atlas for Newfoundland. Newfoundland and Labrador Department of Environment and Lands, Water Resources Division, P.O. Box 8700, St. John's, NL, AIB 4J6. iv + 79 pp.
- Newfoundland and Labrador Department of Environment and Climate Change (NLDECC). (2023). Environmental Assessment Guidance for Registration of Onshore Wind Energy Generation and Green Hydrogen Production Projects. Newfoundland and Labrador Department of Environment and Climate Change, St. John's, NL. DOC-2022-1022. 32 pp.

- Newfoundland and Labrador Department of Environment and Conservation. (2012). Management Plan, American eel (*Anguilla rostrata*). Prepared by the Wildlife Division, Corner Brook, NL A2H 7S1. v + 29 pp.
- NOAA. (2023). What are plankton? National Oceanic and Atmospheric Administration. Government of United States. Retrieved December 2023, from <https://oceanservice.noaa.gov/facts/plankton.html#:~:text=The%20word%20%E2%80%9Cplankton%E2%80%9D%20comes%20from,for%20their%20entire%20life%20cycle.>
- O'Driscoll, R.L. & Rose, G.A. (1999). Seasonal changes in abundance, distribution, and vertical migration of capelin in Placentia Bay. In: Capelin in SA2 + Div. 3KL. Canadian Science Advisory Secretariat Res. Doc. 1999/206.
- O'Brien, J.P., M.D. Bishop, K.S. Regular, F.A. Bowdring and T.C. Anderson. (1998). Community-Based Coastal Resource Inventories in Newfoundland and Labrador: Procedures Manual. Fisheries and Oceans Canada, Newfoundland and Labrador Region. 65 pp.
- O'Connell, M. F. (1982). The biology of anadromous *Salvelinus fontinalis* (Mitchill, 1815) and *Salmo trutta* Linnaeus, 1758 in river systems flowing into Placentia Bay and St. Mary's Bay, Newfoundland (Doctoral dissertation, Memorial University of Newfoundland).
- O'Driscoll, R.L. and G.A. Rose. (1999). Seasonal changes in abundance, distribution, and vertical migration of capelin in Placentia Bay. In: Capelin in SA2 + Div. 3KL. Can. Sci. Advis. Sec. Res. Doc. 1999/206.
- PEC (2024). Progressive Engineering and Consulting Inc. (March 12, 2024). Placentia Regional Water Supply Study. Rev 1
- Porter, T. R. (1975). Biology of Atlantic salmon in Newfoundland and Labrador. Fisheries and Marine Service, Newfoundland Region.
- Province of Newfoundland (Gov. NL.) (n.d.a). Invest in Aquaculture. Province of Newfoundland and Labrador. Retrieved August 2023, from <https://www.findnewfoundlandlabrador.com/invest/aquaculture/>
- Province of Newfoundland (Gov. NL.) (n.d.). Outfitters. Province of Newfoundland and Labrador. Retrieved September 2023, from <https://www.huntingnewfoundlandlabrador.com/plan-and-book/outfitters>

- Province of Newfoundland and Labrador Department of Industry, Energy and Technology - Geological Survey Division. (NL DIET) (n.d.) Geoscience Atlas. Retrieved in 2024 from <https://geoatlas.gov.nl.ca/Default.htm>
- Province of Newfoundland and Labrador Department of Environment and Climate Change (NL DECC). (2022). PERMIT TO ALTER A BODY OF WATER. File No. 524, Permit No ALT12819-2022. Province of Newfoundland and Labrador. Retrieved November 2023, from <https://www.gov.nl.ca/ecc/permits/alt12819-2022/>
- Province of Newfoundland and Labrador Department of Environment and Climate Change (NL DECC). (2023). Environmental Assessment Guidance for Registration of Onshore Wind Energy Generation and Green Hydrogen Production Projects. Newfoundland and Labrador Department of Environment and Climate Change, St. John's, NL. DOC-2022-1022. 32 pp
- Province of Newfoundland and Labrador Department of Environment and Conservation (NL DECC). (2010). Management Plan for the American Eel (*Anguilla rostrata*) in Newfoundland and Labrador Wildlife Division, Environment and Conservation, Province of Newfoundland and Labrador, Corner Brook. Canada. v + 29 pp.
- Province of Newfoundland and Labrador Department of Environment and Conservation (NL DECC). (2012). Management Plan, American eel (*Anguilla rostrata*). Prepared by the Wildlife Division, Corner Brook, NL A2H 7S1. v + 29 pp
- Province of Newfoundland and Labrador Department of Environment and Conservation (NL DECC). (n.d.) Water Quality Station Profile. Station #: NF02ZK0005, NORTHEAST RIVER NEAR PLACENTIA. Environment and Conservation, Province of Newfoundland and Labrador. Retrieved September 2023, from [https://www.canal.gov.nl.ca/root/main/station\\_details\\_e.asp?envirodat=NF02ZK0005](https://www.canal.gov.nl.ca/root/main/station_details_e.asp?envirodat=NF02ZK0005)
- Province of Newfoundland and Labrador Department of Environment and Lands (NL DEL). (1992). Water Resources Atlas for Newfoundland. Newfoundland and Labrador Department of Environment and Lands, Water Resources Division, P.O. Box 8700, St. John's, NL, A1B 4J6. iv + 79 pp.
- Province of Newfoundland and Labrador Department of Fisheries, Forestry and Agriculture (NL DFFA). (2005). Amphibians. Fisheries, Forestry and Agriculture. Province of Newfoundland and Labrador. Retrieved March 2024, from <https://www.gov.nl.ca/ffa/wildlife/all-species/amphibians/>
- Province of Newfoundland and Labrador Department of Fisheries, Forestry and Agriculture (NL DFFA). (2011). Our Wildlife. Wildlife Division. Fisheries, Forestry and Agriculture. Province of

Newfoundland and Labrador. Retrieved March 2024, from <https://www.gov.nl.ca/ffa/files/publications-wildlife-our-wildlife-fall2011.pdf>

Province of Newfoundland and Labrador Department of Fisheries, Forestry and Agriculture (NL DFFA). (2023). New Releases. Provincial and Federal Governments Help Improve Quality, Productivity and Sustainability in Fish and Seafood Sector. Province of Newfoundland and Labrador. Retrieved March 2024, from <https://www.gov.nl.ca/releases/2023/ffa/1115n07/>

Province of Newfoundland and Labrador Endangered Species Act (NL ESA). (2002). Consolidated Newfoundland and Labrador Regulation 57/02: Endangered Species List Regulations. Province of Newfoundland and Labrador. Retrieved October 2023, from <http://www.assembly.nl.ca/Legislation/sr/Regulations/rc020057.htm>

PSPC. (2019). Fishway Reconstruction Northeast River, Placentia, NL Environmental Registration Document. Public Services and Procurement Canada. Retrieved September 2023, from <https://www.gov.nl.ca/ecc/files/env-assessment-projects-y2019-2031-2031-registration-document-northeast-river-fishway.pdf>

Randall, R. G. (1982). Emergence, population densities, and growth of salmon and trout fry in two New Brunswick streams. *Canadian Journal of Zoology*, 60(10), 2239-2244.

Rose, G.A. and R.L. O'Driscoll. (2002). Multispecies interactions – Capelin are good for cod: can the northern stock rebuild without them? *ICES J. Mar. Sci.* 59(5):1018-1026.

Sardain, A., Sardain, E., & Leung, B. (2019). Global forecasts of shipping traffic and biological invasions to 2050. *Nature Sustainability*, 2(4), 274-282.

Scott, W. B., & Crossman, E. J. (1964). Fishes occurring in the fresh waters of insular Newfoundland. *Life sciences contributions*, no. 58.

Scott, W. B., & Crossman, E. J. (1998). *Freshwater Fishes of Canada* Galt House Publications Ltd. Oakville, Ont. Canada.

Scott, W.B. and M.G. Scott. (1988). Atlantic Fishes of Canada. *Can. Bull. Fish. Aquatic Sci.* 219. 731 p.

Scruton, D. A., Ledrew, L. J., & McKinley, R. S. (1996). Use of radio telemetry to evaluate movement and habitat use of landlocked Atlantic salmon (*Salmo salar*) in Newfoundland, Canada, in the vicinity of hydro-electric development. *Underwater biotelemetry*. Liège: University of Liège, 143-152.

- Scruton, D.A., D.R. Sooley, L. Moores, M.A. Barnes, R.A. Buchanan & R.N. McCubbin. (1997). Forestry guidelines for the protection of fish habitat in Newfoundland and Labrador. Fisheries and Oceans Canada, St. John's, NF. 63p.
- Shaw, J. P. (2015). Surficial geology, coastal waters, Island of Newfoundland, Newfoundland and Labrador/J. Shaw and DP Potter. NRCan: Natural Resources Canada.
- Sjare, B., Nakashima, B., and Mercer, D. (2003). Integrating Scientific and Local Ecological Knowledge to Identify Potential Critical Habitats: A Case Study of Placentia Bay, Newfoundland. CSAS Res. Doc 2003/114: iii + 15 pp.
- Sjare, B., Lebeof, M., and Veinott, G. (2005). Harbour Seals in Newfoundland and Labrador: A Preliminary Summary of New Data on Aspects of Biology, Ecology and Contaminant Profiles. CSAS, Res. Doc. 2005/30. ii + 38 pp.
- Smith, K.E.H. (1988). The Atlantic salmon. Underwater World Factsheet. DFO, Ottawa, Ontario. Cat. No. Fs 41-33/19-1988E. 8p.
- Species at Risk Act Canada (SARA). (2024). Welcome to the Species at Risk Public Registry. Government of Canada. Retrieved January 2024, from <http://www.sararegistry.gc.ca/default.asp?lang=en&n=24F7211B-1>
- Stanley, J. G., & Trial, J. G. (1995). Habitat suitability index models: nonmigratory freshwater life stages of Atlantic salmon (Vol. 3). US Department of the Interior, National Biological Service.
- Stantec Consulting Ltd. (Stantec). (2012). Marine Habitat Characterization - Argentia, Newfoundland. Prepared for Husky Energy, St. John's, NL. 61 pp.
- Transport Canada (TC). (2019). Managing Ballast Water. Government of Canada. Retrieved November 2023, from <https://tc.canada.ca/en/marine-transportation/marine-pollution-environmental-response/preventing-aquatic-invasive-species-marine-transportation/managing-ballast-water>
- Transport Canada (TC). (2021). Ballast Water Regulations. Canada Gazette, Part II, Volume 155, Number 13. SOR/2021-120. Operate under CANADA. Government of Canada. Retrieved November 2023, from <https://canadagazette.gc.ca/rp-pr/p2/2021/2021-06-23/html/sor-dors120-eng.html>
- Voisey's Bay Nickel Company (VBNC). (2002). Argentia Hydrometallurgical Demonstration Plant Project Registration. vi + 93 pp. + App.

Warner, K. (1985). Life history, ecology and management of Maine landlocked salmon (*Salmo salar*).  
Maine Department of Inland Fisheries and Wildlife.

Wheeler, J.P., B. Squires and P. Williams. (2004). Description of the East and Southeast  
Newfoundland 2002 and 2003 Commercial Herring Fisheries and Commercial Catches at Age.  
Working Paper 2004/H1, in: DFO, 2004. East and Southeast Newfoundland Atlantic Herring 2004  
RAP Proceedings; 22-23 November 2004. DFO Can. Sci. Advis. Sec. Proceed. Ser. 2004/012

NLDEC. (n.d.) Water Quality Station Profile. Station #: NF02ZK0005, NORTHEAST RIVER NEAR  
PLACENTIA. Environment and Conservation, Government of Newfoundland and Labrador.  
Retrieved September 2023, from  
[https://www.canal.gov.nl.ca/root/main/station\\_details\\_e.asp?envirodat=NF02ZK0005](https://www.canal.gov.nl.ca/root/main/station_details_e.asp?envirodat=NF02ZK0005)

WSC (n.d.). Historical Hydrometric Data. Water Survey of Canada. Retrieved January 2024, from  
[https://wateroffice.ec.gc.ca/mainmenu/historical\\_data\\_index\\_e.html](https://wateroffice.ec.gc.ca/mainmenu/historical_data_index_e.html)

### Section 3.1.3

Bat Conservation International. (2024a). Northern Long-eared Bat. <https://www.batcon.org/bat/myotis-septentrionalis/>

Benkman, C. (1989). On the evolution and ecology of island populations of crossbills, *Evolution*.43(6),  
1324-1330.

Broders, H., Burns, L., & McCarthy, S. C. (2013). First records of the Northern Myotis (*Myotis septentrionalis*) from Labrador and summer distribution records and biology of Little Brown Myotis (*Myotis lucifugus*) in southern Labrador. *Canadian Field-Naturalist*, 127, 266-269.

Broders, H.G., Forbes, G.J., Woodley, S., & Thompson, I.D. (2010). Range Extent and Stand Selection  
for Roosting and Foraging in Forest-Dwelling Northern Long-Eared Bats and Little Brown Bats in  
the Greater Fundy Ecosystem, New Brunswick. *Wildlife Management*, 70(5), 1174-1184.  
[https://doi.org/10.2193/0022-541X\(2006\)70\[1174:REASSF\]2.0.CO;2](https://doi.org/10.2193/0022-541X(2006)70[1174:REASSF]2.0.CO;2)

Colman-Sadd, S. P., Hayes, J.P., and Knight, I. (2000). Geology of the Island of Newfoundland (digital  
version of Map 90-01 with minor revisions). Newfoundland Department of Mines and Energy,  
Geological Survey, Map 2000-30, scale 1:1 000 000.

COSEWIC. (2010). COSEWIC assessment and status report on the blue felt lichen (*Degelia plumbea*)  
in Canada. Environment and Climate Change Canada.  
[https://www.sararegistry.gc.ca/virtual\\_sara/files/cosewic/sr\\_blue\\_felt\\_lichen\\_0911\\_eng.pdf](https://www.sararegistry.gc.ca/virtual_sara/files/cosewic/sr_blue_felt_lichen_0911_eng.pdf)



COSEWIC. (2012). Northern myotis (*Myotis septentrionalis*): Technical Summary for Emergency Assessment 2012. Environment and Climate Change Canada.

<https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry/cosewic-assessments/northern-myotis-technical-summary-2012.html>

COSEWIC. (2013). COSEWIC assessment and status report on the Little Brown Myotis *Myotis lucifugus*, Northern Myotis *Myotis septentrionalis* and Tri-colored Bat *Perimyotis subflavus* in Canada. Ottawa: Committee on the Status of Endangered Wildlife in Canada. Retrieved from

[https://wildlife-species.canada.ca/species-risk-registry/virtual\\_sara/files/cosewic/sr\\_Little%20Brown%20Myotis&Northern%20Myotis&Tri-colored%20Bat\\_2013\\_e.pdf](https://wildlife-species.canada.ca/species-risk-registry/virtual_sara/files/cosewic/sr_Little%20Brown%20Myotis&Northern%20Myotis&Tri-colored%20Bat_2013_e.pdf)

COSEWIC. (2016). COSEWIC assessment and status report on the Red Crossbill *percna* subspecies *Loxia curvirostra percna* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xiii + 62 pp. ([http://www.registrelep-sararegistry.gc.ca/default\\_e.cfm](http://www.registrelep-sararegistry.gc.ca/default_e.cfm)).

COSEWIC. (2021). COSEWIC assessment and status report on the Short-eared Owl *Asio flammeus* in Canada. Ottawa: Committee on the Status of Endangered Wildlife in Canada. Retrieved from

[https://wildlife-species.canada.ca/species-risk-registry/virtual\\_sara/files/cosewic/sr%20Short-eared%20Owl%202021\\_e.pdf](https://wildlife-species.canada.ca/species-risk-registry/virtual_sara/files/cosewic/sr%20Short-eared%20Owl%202021_e.pdf)

Committee on the Status of Endangered Wildlife in Canada. (2023). COSEWIC Assessment and Status Report on the Hoary Bat (*Lasiurus cinereus*), Eastern Red Bat (*Lasiurus borealis*) and Silver-haired Bat (*Lasionycteris noctivagans*) in Canada. Environment and Climate Change Canada.

[https://wildlife-species.ec.gc.ca/species-risk-registry/virtual\\_sara/files//cosewic/sr-HoaryEasternRedSilverHairedBats-v00-Nov2023-eng.pdf](https://wildlife-species.ec.gc.ca/species-risk-registry/virtual_sara/files//cosewic/sr-HoaryEasternRedSilverHairedBats-v00-Nov2023-eng.pdf)

Cornejo, C., & Scheidegger, C. (2016). Cyanobacterial gardens: the liverwort *Frullania asagrayana* acts as a reservoir of lichen photobionts. *Environmental Microbiology Reports*, 8(3), 352-357.

<https://doi.org/10.1111/1758-2229.12386>

Endangered Species Act (SNL 2001, c. E-10.1). <https://www.assembly.nl.ca/legislation/sr/statutes/e10-1.htm>

Environment and Climate Change Canada. (2018a). Management plan for the Short-eared Owl (*Asio flammeus*) in Canada. [https://publications.gc.ca/collections/collection\\_2019/eccc/En3-5-94-2018-eng.pdf](https://publications.gc.ca/collections/collection_2019/eccc/En3-5-94-2018-eng.pdf)

Environment and Climate Change Canada. (2018b). Recovery Strategy for the Little Brown Myotis (*Myotis lucifugus*), the Northern Myotis (*Myotis septentrionalis*), and the Tri-colored Bat

(*Perimyotis subflavus*) in Canada. <https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry/recovery-strategies/little-brown-myotis-2018.html>

Environment Canada. (2006). Recovery strategy for the Red Crossbill, *percna* subspecies (*Loxia curvirostra percna*), in Canada. [https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual\\_sara/files/plans/rs\\_red\\_crossbill\\_1006\\_e.pdf](https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual_sara/files/plans/rs_red_crossbill_1006_e.pdf)

Environmental Assessment Regulations (NLR 54/03).  
<https://www.assembly.nl.ca/legislation/sr/regulations/rc030054.htm>

Environmental Protection Act (SNL 2002, c E-14.2).  
<https://www.assembly.nl.ca/Legislation/sr/statutes/e14-2.htm>

Environment and Climate Change. (2022). Yellow-banded Bumble Bee (*Bombus terricola*): Management plan proposed 2022 [Featured articles]. <https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry/management-plans/yellow-banded-bumble-bee-proposed-2022.html>

Government of Canada. (1991). The Federal Policy on Wetland Conservation. Government of Canada Publications. <https://publications.gc.ca/collections/Collection/CW66-116-1991E.pdf>

Government of Newfoundland and Labrador. (2017). Water Resources Act. SNL 2002 Chapter W-4.1. [https://www.assembly.nl.ca/legislation/sr/statutes/w04-01.htm#30\\_](https://www.assembly.nl.ca/legislation/sr/statutes/w04-01.htm#30_)

Herdman, E. (2014). *Newfoundland marten hair snag construction and deployment guidelines*. Government of Newfoundland and Labrador.

Kunz, T.H. (1982). *Lasionycteris noctivagans*. *Mammalian Species*, 172, 1-5.  
<https://doi.org/10.2307/3504029>

Lewis, K.P., & Montevecchi, W.A. (1999). Predation on different-sized quail eggs in an artificial-nest study in western Newfoundland. *Canadian Journal of Zoology*, 77(7), 1170-1173.  
<https://doi.org/10.1139/z99-076>

Liverman, D. and Taylor, D. (1994). Surficial Geology of the St. John's (NTS 1N) and Trepassey (NTS 1K) Map Areas. Government of Newfoundland and Labrador, Department of Mines and Energy, Geological Survey Open File NFLD (2422), Map 94-230, Scale 1:250 000.

Migratory Birds Convention Act (S.C. 1994, c. 22). <https://laws-lois.justice.gc.ca/eng/acts/m-7.01/>

Migratory Birds Regulations (SOR/2022-105). <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2022-105/index.html>

N.L. Department of Environment & Conservation. (n.d.-a). Rusty Blackbird [Fact sheet]. <https://www.gov.nl.ca/ffa/files/wildlife-endangeredspecies-rusty-blackbird-information-sheet.pdf>

N.L. Department of Environment & Conservation. (n.d.-b). Short-eared Owl [Fact sheet]. <https://www.gov.nl.ca/ffa/files/wildlife-endangeredspecies-rusty-blackbird-information-sheet.pdf>

N.L. Department of Fisheries, Forestry, and Agriculture. (2020). Management plan: Rusty Blackbird (*Euphagus carolinus*). <https://www.gov.nl.ca/ffa/files/Rusty-Blackbird-Management-Plan-August-2020-Final.pdf>

N.L. Fisheries and Land Resources. (2018, May 11). Public Advisory: White-nose Syndrome Detected in Bats on the Island of Newfoundland [Press Release]. <https://www.gov.nl.ca/releases/2018/flr/0511n03/>

N.L. Fisheries, Forestry and Agriculture. (2021, May 27). Two Bat Species to Receive Protection under Endangered Species Act [Press Release]. <https://www.gov.nl.ca/releases/2021/ffa/0527n02/>

National Wetlands Working Group. (1997). Canadian wetland classification system (2nd ed.). University of Waterloo. <https://nawcc.wetlandnetwork.ca/Wetland%20Classification%201997.pdf>

Nova Scotia Department of Lands and Forestry. (2021c). Recovery Plan for the Gypsy Cuckoo Bumble Bee (*Bombus bohemicus*) in Nova Scotia [Final]. Nova Scotia Endangered Species Act Recovery Plan Series.

Protected Areas Association of Newfoundland and Labrador. (2008). Maritime barrens: Southeastern barrens subregion [Brochure]. <https://www.gov.nl.ca/ecc/files/natural-areas-pdf-island-6b-southeast-barrens.pdf>

Reid, F.A. 2006. Mammals of North America. Peterson Field Guides. Fourth edition. Houghton Mifflin Company. New York. 587 pp.

Robineau-Charette, G., Whitaker, D.M., & Warkentin, I.G. (2023). Change in altitudinal distribution of Newfoundland Gray-cheeked Thrush (*Catharus minimus minimus*) revealed through historical stop-level breeding bird survey data. *Journal of Field Ornithology*, 94(1). <https://doi.org/10.5751/JFO-00210-940104>

Species at Risk Act (S.C. 2002, c. 29). <https://laws.justice.gc.ca/eng/acts/s-15.3/page-10.html>

- Species Status Advisory Committee. (2010). The Status of Gray-cheeked Thrush (*Catharus minimus*) in Newfoundland and Labrador. N.L. Department of Fisheries, Forestry, and Agriculture. <https://www.gov.nl.ca/ffa/files/wildlife-endangeredspecies-ssac-gray-cheeked-thrush-2010-ssac.pdf>
- Thompson, I.D., Hogan, H.A., & Montevecchi, W.A. (1999). Avian communities of mature balsam fir forests in Newfoundland: Age-dependence and implications for timber harvesting. *The Condor*, 101(2), 311-323. <https://doi.org/10.2307/1369994>
- Voigt, C.C., Bernard, E., Huang, J.C., Frick, W.F., Kerbiriou, C., MacEwan, K., Mathews, F., Rodriguez-Duran, A., Scholz, C., Webala, P.W., Welbergen J., & Whitby, M. (2024). Toward solving the global green–green dilemma between wind energy production and bat conservation. *BioScience*. Advance online publication. <https://doi.org/10.1093/biosci/biae023>
- Water Resources Act (SNL 2002, c W-4.01). <https://www.assembly.nl.ca/Legislation/sr/statutes/w04-01.htm>
- Wild Life Act (RSNL 1990, c.W-8). <https://www.assembly.nl.ca/legislation/sr/statutes/w08.htm>.
- Wildlife Division. (2010). Newfoundland and Labrador Species at Risk Fact Sheet: Rusty Blackbird. Department of Environment and Conservation. Retrieved from <https://www.gov.nl.ca/ffa/files/wildlife-endangeredspecies-rusty-blackbird-information-sheet.pdf>.
- Wildlife Division. (2010). Newfoundland and Labrador Species at Risk Fact Sheet: Short-eared Owl. Department of Environment and Conservation. Retrieved from <https://www.gov.nl.ca/ffa/files/wildlife-endangeredspecies-short-eared-owl-information-sheet.pdf>
- Wildlife Division. (2020). Management Plan for the Rusty Blackbird (*Euphagus carolinus*) in Newfoundland and Labrador. Corner Brook: Department of Fisheries, Forestry and Agriculture, Government of Newfoundland and Labrador.
- Wild Life Regulations (CNLR 1156/96). <https://www.assembly.nl.ca/legislation/sr/regulations/rc961156.htm>

## Section 3.1.4

- D.W. Knight Associates. (2015). *Town of Placentia Municipal Plan 2014-2024*. St. John's: Department of Municipal and Provincial Affairs. Retrieved from <https://www.gov.nl.ca/mpa/files/register-community-placentia-files-placentia-municipal-plan.pdf>

*Deep Country Lodge—Deep Bight*. (n.d.). Newfoundland and Labrador, Canada – Official Hunting Website. Retrieved December 1, 2023, from <https://www.huntingnewfoundlandlabrador.com/plan-and-book/outfitters/14870201>

Department of Fisheries and Oceans Canada. (2023a). *NL ANGLERS' GUIDE 2023-2024*. <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/4111131x.pdf>

Department of Fisheries and Oceans Canada. (2023b). *Anglers' Guide 2023-2024—Newfoundland and Labrador scheduled Salmon Rivers*. <https://www.nfl.dfo-mpo.gc.ca/en/anglers-guide-2023-2024-newfoundland-and-labrador-scheduled-salmon-rivers>

Department of Fisheries, Forestry & Agriculture. (2022). *Domestic Harvest Area 2022-2026*. Forest Service of NL. <https://www.gov.nl.ca/ffa/files/D01-H-1D-Long-Harbour.pdf>

Department of Fisheries, Forestry and Agriculture. (2018, February 6). *General Information for Trappers—2022-23 Hunting and Trapping Guide*. <https://www.gov.nl.ca/hunting-trapping-guide/2022-23/general-information-for-trappers/>

Department of Municipal and Provincial Affairs. (2015, November 6). Land Use Planning Registry for the Town of Placentia: Land Use Zoning Maps. Newfoundland and Labrador, Canada. Retrieved from <https://www.gov.nl.ca/mpa/registry/community/placentia/>

Dillon Consulting. (2023). *Port of Argentia - Cooper Cove Marine Terminal Expansion Project Initial Project Description - Newfoundland and Labrador*. Submission to Impact Assessment Agency of Canada, St. John's.

Environment and Climate Change Canada. (2023). *Hunting regulations summary for migratory birds: Newfoundland and Labrador* [Regulations]. <https://www.canada.ca/en/environment-climate-change/services/migratory-game-bird-hunting/regulations-provincial-territorial-summaries/newfoundland-labrador.html>

Gov NL. (2022). *A Field Guide to Newfoundland and Labrador Berries—Newfoundland and Labrador, Canada*. <https://www.newfoundlandlabrador.com/trip-ideas/travel-stories/all-about-berries>

Government of NL. (2023). *2023-24 Hunting and Trapping Guide*. <https://www.gov.nl.ca/hunting-trapping-guide/2023-24/wp-content/uploads/sites/7/Hunting-Trapping-Guide.pdf>

- Jacques Whitford Limited. (2007). *Long Harbour Commercial Nickel Processing Plant EA - Socio-economic Component Study*. <https://www.gov.nl.ca/ecc/files/env-assessment-projects-y2008-1243-1243-finalsocioeconomiccs.pdf>
- Janes, C. W., & Worthman, G. (2005, June 13). Environmental Remediation Project Argentia, NL. Ottawa, ON, Canada: Public Works and Government Services Canada. Retrieved from [https://clu-in.org/ottawa/download/former\\_military\\_sites/canada\\_remediation\\_proj.pdf](https://clu-in.org/ottawa/download/former_military_sites/canada_remediation_proj.pdf)
- Newfoundland & Labrador Hydro. (n.d.). Hydro Generation. *Newfoundland & Labrador Hydro*. Retrieved December 21, 2023, from <https://nlhydro.com/operations/hydro-generation/>
- Newfoundland & Labrador Hydro. (2016, January 11). How The System Works. *Newfoundland & Labrador Hydro*. <https://nlhydro.com/good-to-know/how-the-system-works/>
- Newfoundland and Labrador Mineral Lands Division. (2024a). Map Staked Claims. *Newfoundland and Labrador GeoScience Atlas OnLine*. Retrieved April 26, 2024, from <https://geoatlas.gov.nl.ca/>
- Newfoundland and Labrador Mineral Lands Division. (2024b). Quarry Database. *Newfoundland and Labrador GeoScience Atlas OnLine*. Retrieved April 26, 2024, from <https://geoatlas.gov.nl.ca/>
- ParksNL. (2020, October 27). *Provincial Park Reserves*. <https://www.parksnl.ca/reserves/>
- Pike, P. (n.d.). *New Ktaqmkuk Mikmaq History*. Retrieved from <https://municipalnl.ca/site/uploads/2021/11/New-Ktaqmkuk-Mikmaq-History-PPT.pdf>
- Port of Argentia. (2015, September 23). *Argentia Management Authority Rebrand*. Port of Argentia. <https://portofargentina.ca/article/argentina-management-authority-rebrands-as-port-of-argentina/>
- Port of Argentia. (2023, October 10). *Port Facilities & Services*. Retrieved from Port of Argentia: <https://portofargentina.ca/>
- Prospector Resource Room. (2014). *Silver Cliff/Argentia Au-AG-Pb-Zn*. <https://www.gov.nl.ca/iet/files/mines-prospector-matty-mitchell-pdf-gold-silver-cliff.pdf>
- Treasury Board of Canada Secretariat. (2023, September 15). *Directory of Federal Real Property, Federal Contaminated Sites Inventory*. Retrieved from Map Navigator: [https://www.tbs-sct.gc.ca/fcsi\\_rscf/home-accueil-eng.aspx](https://www.tbs-sct.gc.ca/fcsi_rscf/home-accueil-eng.aspx)

Water Resources Management Division. (2023, September 25). *Newfoundland and Labrador Water Resources Portal*. Retrieved from Water Resources Map Services: Other Water Resources Data: <https://maps.gov.nl.ca/water/mapservices.htm>

Wilderness and Ecological Reserves Advisory Council. (2020). *A Home For Nature: Protected Areas Plan for the Island of Newfoundland*. [https://www.gov.nl.ca/ecc/files/a\\_home\\_for\\_nature\\_protected\\_areas\\_plan\\_for\\_the\\_island\\_of\\_newfoundland\\_0.pdf](https://www.gov.nl.ca/ecc/files/a_home_for_nature_protected_areas_plan_for_the_island_of_newfoundland_0.pdf)

Young, J. (n.d.) *Swimming Spots NL*. Retrieved from <https://www.google.com/maps/d/viewer?mid=1j3OnJMLteTxHTGF6ndfr1SDqEALCP9qC>

## Section 3.3

Air Pollution Control Regulations, Pub. L. No. NNLR 11/22 (2022). <https://www.assembly.nl.ca/Legislation/sr/regulations/rc220011.htm>

Alberta Energy Regulator. (2023). Directive 038: Noise Control (Issue April, pp. 1–52).

Batterson, M., & Liverman, D. (2010). Past and future sea-level change in Newfoundland and Labrador: Guidelines for policy and planning. *Current Research*, 129–141.

Bortle, J. E. (2001). Introducing the Bortle Dark-Sky Scale. *Sky & Telescope*, February, 126–130.

Environment and Climate Change Canada. (2023). National Air Pollutant Surveillance (NAPS) Program. Ambient Air Quality Data for Mount Pearl 2020-2022. <https://www.canada.ca/en/environment-climate-change/services/air-pollution/monitoring-networks-data/national-air-pollution-program.html>

Falchi, F., Cinzano, P., Duriscoe, D., Kyba, C. C. M., Elvidge, C. D., Baugh, K., Portnov, B. A., Rybnikova, N. A., & Furgoni, R. (2016a). The new world atlas of artificial night sky brightness. *Science Advances*, 2(6), 1–26. <https://doi.org/10.1126/sciadv.1600377>

Falchi, F., Cinzano, P., Duriscoe, D., Kyba, C. C. M., Elvidge, C. D., Baugh, K., Portnov, B. A., Rybnikova, N. A., & Furgoni, R. (2016b). The new world atlas of artificial night sky brightness. *Science Advances* (Vol. 2, Issue 6). GFZ Data Services. <https://doi.org/10.1126/sciadv.1600377>

Finnis, J. (2013). Projected Impacts of Climate Change for Newfoundland & Labrador.

Finnis, J., & Daraio, J. (2018). Projected Impacts of Climate Change for the Province of Newfoundland & Labrador: 2018 Update.

FPT Committee on Health and the Environment Working Group on Wind Turbine Noise. (2012). Guidelines for Wind Turbine Noise. Secretariat: Health Canada, Environmental and Radiation Health Sciences Directorate, Healthy Environments and Consumer Safety Branch, Health Canada.

Decommission of Canada. (2023a). Canadian Climate Normals 1971-2000 Station Data, Long Harbour NL.

[https://climate.weather.gc.ca/climate\\_normals/results\\_e.html?searchType=stnName&txtStationName=long+harbour&searchMethod=contains&txtCentralLatMin=0&txtCentralLatSec=0&txtCentralLongMin=0&txtCentralLongSec=0&stnID=6673&dispBack=1](https://climate.weather.gc.ca/climate_normals/results_e.html?searchType=stnName&txtStationName=long+harbour&searchMethod=contains&txtCentralLatMin=0&txtCentralLatSec=0&txtCentralLongMin=0&txtCentralLongSec=0&stnID=6673&dispBack=1)

Government of Canada. (2023b). Historical Data, Argentia (AUT), NL.

[https://climate.weather.gc.ca/climate\\_data/daily\\_data\\_e.html?hlyRange=1987-01-01%7C2023-09-06&dlyRange=1992-12-01%7C2023-09-06&mlyRange=2004-01-01%7C2007-07-01&StationID=10113&Prov=NL&urlExtension=\\_e.html&searchType=stnProv&optLimit=yearRange&StartYear=18](https://climate.weather.gc.ca/climate_data/daily_data_e.html?hlyRange=1987-01-01%7C2023-09-06&dlyRange=1992-12-01%7C2023-09-06&mlyRange=2004-01-01%7C2007-07-01&StationID=10113&Prov=NL&urlExtension=_e.html&searchType=stnProv&optLimit=yearRange&StartYear=18)

Health Canada. (2017). Guidance for Evaluating Human Health Impacts in Environmental Assessment: Noise (pp. 1–50).

Newfoundland and Labrador Department of Environment and Climate Change. (n.d.). Provincial GHG Data for 2016-2022 - Newfoundland and Labrador Industrial Facilities (AR4 GWP).

<https://www.gov.nl.ca/ecc/files/NL-Industrial-Facilities-Provincial-GHG-Data-for-Website-2016-2022-1.pdf>

Newfoundland and Labrador Department of Environment and Climate Change. (2021). 2020 Ambient Air Monitoring Report (Issue June).

Newfoundland and Labrador Department of Environment and Climate Change. (2023). 2022 Ambient Air Monitoring Report (Issue April).

Nova Scotia Environment and Climate Change. (2023). Guidelines for Environmental Noise Measurement and Assessment (p. 19). <https://2rvpwt3v9gg32uh9vv1lr27s-wpengine.netdna-ssl.com/wp-content/uploads/2021/01/EnvironmentalNoiseMeasurement.pdf>

Ontario Ministry of the Environment and Climate Change. (2017). Air Dispersion Modelling Guideline for Ontario [Guideline A-11] (p. 158).



Protected Areas Association of Newfoundland and Labrador (PAANL). (2008). Maritime barrens: Southeastern barrens subregion. In Newfoundland and Labrador Ecoregion Brochures (p. 4).

Statistics Canada. (n.d.). National Occupational Classification (NOC) 2021 Version 1.0. Retrieved March 20, 2024, from <https://www23.statcan.gc.ca/imdb/p3VD.pl?Function=getVD&TVD=1322554>

The Institution of Lighting Engineers. (2005). Guidance Notes for the Reduction of Obtrusive Light (pp. 1–4).

## Chapter 4

### Section 4.1

Beanlands, G., & Duinker, P. (1983). An Ecological Framework for Environmental Impact Assessment in Canada. Retrieved from [https://publications.gc.ca/collections/collection\\_2018/acee-ceaa/En106-197-1983-eng.pdf](https://publications.gc.ca/collections/collection_2018/acee-ceaa/En106-197-1983-eng.pdf)Section 4.2

Barré, K., Le Viol, I., Bas, Y., Julliard, R., Kerbiriou, C. (2018). Estimating habitat loss due to wind turbine avoidance by bats: Implications for European siting guidance, *Biological Conservation*, Volume 226, 2018, Pages 205-214, ISSN 0006-3207. <https://doi.org/10.1016/j.biocon.2018.07.011>.

Berndt, C., Ericsson, G., & Neumann, W. (2021, November 30-December 2). Moose behaviour in relation to operating wind turbines in northern Sweden [Conference presentation]. 54th North American Moose Conference and Workshop, virtual.

Bevanger, K. (1994). Bird interactions with utility structures: collision and electrocution, causes and mitigating measures. *Ibis*, 136: 412-425. <https://doi.org/10.1111/j.1474-919X.1994.tb01116.x>

Brawn, J.D., Robinson, S.K., & Thompson, F.R. (2001). The role of disturbance in the ecology and conservation of birds. *Annual Review of Ecology, Evolution, and Systematics*, 32, 251-276. <https://doi.org/10.1146/annurev.ecolsys.32.081501.114031>

Cameron, R.P., Neily, T., & Clapp, H. (2013). Forest harvesting impacts on mortality of an endangered lichen at the landscape and stand scales. *Canadian Journal of Forest Research* 43(5). <http://dx.doi.org/10.1139/cjfr-2012-0452>

Campedelli, T., Londi, G., Cutini, S., Sorace, A., & Tellini Florenzano, G. (2013). Raptor displacement due to the construction of a wind farm: preliminary results after the first 2 years since the

construction. *Ethology Ecology & Evolution*, 26(4), 376-391.  
<https://doi.org/10.1080/03949370.2013.862305>

Canada Mortgage and Housing Corporation (CMHC). 2024. Housing Market Information Portal.  
<https://www03.cmhc-schl.gc.ca/hmip-pimh/en/Profile?id=1640&t=3>

Canadian Renewable Energy Association. (2020). Best Practices for Wind Farm Icing and Cold Climate Health & Safety. [https://renewablesassociation.ca/wp-content/uploads/2021/01/Best-Practices-for-Wind-Farm-Icing-and-Cold-Climate\\_June2020.pdf](https://renewablesassociation.ca/wp-content/uploads/2021/01/Best-Practices-for-Wind-Farm-Icing-and-Cold-Climate_June2020.pdf)

CBC. 2016. Exxon Mobil primed to get royalty refund worth additional \$100M.  
<https://www.cbc.ca/news/canada/nova-scotia/exxon-mobil-royalty-refund-1.3432659>

Colman, J.E., Eftestol, S., Tsegaye, D., Flydal, K., & Mysterud, A. (2013). Summer distribution of semi-domesticated reindeer relative to a new wind-power plant. *European Journal of Wildlife Research*, 59, 359-370. <https://doi.org/10.1007/s10344-012-0682-7>

Committee on the Status of Endangered Wildlife in Canada. (2010). COSEWIC assessment and status report on the Blue Felt Lichen (*Degelia plumbea*) in Canada. Environment and Climate Change Canada. [https://www.registrelep-sararegistry.gc.ca/virtual\\_sara/files/cosewic/sr\\_blue\\_felt\\_lichen\\_0911\\_eng.pdf](https://www.registrelep-sararegistry.gc.ca/virtual_sara/files/cosewic/sr_blue_felt_lichen_0911_eng.pdf)

Committee on the Status of Endangered Wildlife in Canada. (2015). COSEWIC Assessment and Status Report on the Yellow-banded Bumble Bee (*Bombus terricola*) in Canada. Environment and Climate Change Canada. [https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual\\_sara/files//cosewic/sr\\_Yellow-banded%20Bumble%20Bee\\_2015\\_e.pdf](https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual_sara/files//cosewic/sr_Yellow-banded%20Bumble%20Bee_2015_e.pdf)

Committee on the Status of Endangered Wildlife in Canada. (2016). COSEWIC assessment and status report on the Red Crossbill *percna* subspecies (*Loxia curvirostra percna*) in Canada. Environment and Climate Change Canada. [https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual\\_sara/files//cosewic/sr\\_Red%20Crossbill%20percna%20subspecies\\_2016\\_e.pdf](https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual_sara/files//cosewic/sr_Red%20Crossbill%20percna%20subspecies_2016_e.pdf)

ConstructConnect. 2021. Western construction workers heavily represented in overdose deaths. <https://canada.constructconnect.com/dcn/news/ohs/2021/09/western-construction-workers-heavily-represented-in-overdose-deaths>

ConstructConnect. 2023. Research casts doubt on toxic drug crisis in construction: BCCSA. Evan Saunders March 10, 2023. <https://canada.constructconnect.com/joc/news/ohs/2023/03/research-casts-doubt-on-toxic-drug-crisis-in-construction-bccsa>

CruiseMapper. (2024) Alasuinu Ferry. <https://www.cruisemapper.com/ships/Alasuinu-ferry-2259>

Dohm, R., Jennelle, C., Garvin, J.C., & Drake, D. (2019). A long-term assessment of raptor displacement at a wind farm. *Frontiers in Ecology and the Environment*, 17(8).  
<http://dx.doi.org/10.1002/fee.2089>

Drug and Alcohol Testing Association of Canada. 2021. Constructions workers in Western Canada heavily represented in overdose deaths. <https://datac.ca/constructions-workers-in-western-canada-heavily-represented-in-overdose-deaths/>

Elsinger, M., Burrell, E., DeBruyn, N., Tanasichuk, K., & Timoney, K. (2007). The influence of air pollution on corticolous lichens near the Strathcona industrial area, Alberta. *The Canadian Field-Naturalist*, 121(1), 17-23. <http://dx.doi.org/10.22621/cfn.v121i1.387>

Environment and Climate Change Canada. (2018). Management plan for the Short-eared Owl (*Asio flammeus*) in Canada. [https://publications.gc.ca/collections/collection\\_2019/eccc/En3-5-94-2018-eng.pdf](https://publications.gc.ca/collections/collection_2019/eccc/En3-5-94-2018-eng.pdf)

Environment and Climate Change Canada. (2022). Management plan for blue felt lichen in (*Degelia plumbea*) in Canada. [https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual\\_sara/files//plans/mp\\_blue\\_felt\\_lichen\\_e\\_final.pdf](https://wildlife-species.az.ec.gc.ca/species-risk-registry/virtual_sara/files//plans/mp_blue_felt_lichen_e_final.pdf)

Fensome, AG, Mathews, F. (2016). Roads and bats: a meta-analysis and review of the evidence on vehicle collisions and barrier effects. *Mamm Rev.* 46(4):311-323. doi: 10.1111/mam.12072.

Flydal, K., Eftestol, S., Reimers, E., & Colman, J.E. (2004). Effects of wind turbines on area use and behaviour of semi-domestic reindeer in enclosures. *Rangifer*, 24(2), 55-66.  
<https://doi.org/10.7557/2.24.2.301>

Fonturbel, F.E., Orellana, J.I., Rodriguez-Gomez, G.B., Tabilo, C.A., & Castano-Villa, G.J. (2021). Habitat disturbance can alter forest understory bird activity patterns: A regional-scale assessment with camera-traps. *Forest Ecology and Management*, 479.  
<https://doi.org/10.1016/j.foreco.2020.118618>

Foo, C.F., Bennett, V.J., Hale, A.M., Korstian, J.M., Schildt, A.J., & Williams, D.A. (2017). Increasing evidence that bats actively forage at wind turbines. *PeerJ*. <https://doi.org/10.7717/peerj.3985>

Fourrier, J., Fontaine, O., Peter, M., Vallon, J., Allier, F., Basso, B., & Decourtye, A. (2023). Is it safe for honey bee colonies to locate apiaries near wind turbines? *Entomologia Generalis*, 43(4), 799-809. <http://dx.doi.org/10.1127/entomologia/2023/1858>

- Gaultier, S.P., Lilley, T.M., Vesterinen, E.J., & Brommer, J.E. (2023). The presence of wind turbines repels bats in boreal forests. *Landscape and Urban Planning*, 231. <https://doi.org/10.1016/j.landurbplan.2022.104636>
- Helldin, J.O., Jung, J., Neumann, W., Olsson, M., Skarin, A., & Widemo, F. (2012). The impacts of wind power on terrestrial mammals: A synthesis. Swedish Environmental Protection Agency. <https://www.naturvardsverket.se/globalassets/media/publikationer-pdf/ovriga-pub/vindval/978-91-620-6510-2.pdf>
- Hüppop, O., Dierschke, J., Exo, K.-M., Fredrich, E., Hill, R. (2006). Bird migration studies and potential collision risk with offshore wind turbines. *Ibis* 148, 90–109. DOI:10.1111/j.1474-919X.2006.00536.x
- Kaffine, D.T. (2019). Microclimate effects of wind farms on local crop yields. *Journal of Environmental Economics and Management*, 96, 159-173. <https://doi.org/10.1016/j.jeem.2019.06.001>
- Krijgsveld, K.L., Akershoek, K., Schenk, F., Dijk, F., & Dirksen, S. (2009). Collision risk of birds with modern large wind turbines. *Ardea*, 97(3), 357-366. <https://doi.org/10.5253/078.097.0311>
- Länderausschuss für Immissionsschutz. (2020). Hinweise zur Ermittlung und Beurteilung der optischen Immissionen von Windkraftanlagen, Aktualisierung 2019 (WKA-Schattenwurfhinweise) [Information on determining and assessing the optical emissions from wind turbines, update 2019 (WKA shadow-casting instructions)] State Committee for Immission Control.
- Lopucki, R., & Perzanowski, K. (2018). Effects of wind turbines on spatial distribution of the European hamster. *Ecological Indicators*, 84, 433-436. <https://doi.org/10.1016/j.ecolind.2017.09.019>
- Lopucki, R., Klich, D., & Gielarek, S. (2017). Do terrestrial animals avoid areas close to turbines in functioning wind farms in agricultural landscapes? *Environmental Monitoring and Assessment*, 189(343). <https://doi.org/10.1007/s10661-017-6018-z>
- Luo, J., Siemers, B., and Koselj, K.. (2015). How Anthropogenic Noise Affects Foraging. *Global change biology*. DOI: 21. 10.1111/gcb.12997.
- Marine Atlantic. 2024. Marine Atlantic. 2024. Passenger Ferry Schedule. <https://www.marineatlantic.ca/sailing-information/schedule>
- Marques, A. T., Batalha, H., Rodrigues, S., Costa, H., Pereira, M. J. R., Fonseca, C., Mascarenhas, M., Bernardino, J. (2014). Understanding bird collisions at wind farms: An updated review on the

causes and possible mitigation strategies. *Biological Conservation*, 179, 40–52.  
doi:10.1016/j.biocon.2014.08.017

Marques, A.T., Santos, C.D., Hanssen, F., Munoz, A., Onrubia, A., Wikelski, M., Moreira, F., Palmeirim, M., & Silva, J.P. (2019). Wind turbines cause functional habitat loss for migratory soaring birds. *Journal of Animal Ecology*, 89(1), 93-103. <https://doi.org/10.1111/1365-2656.12961>

May, R, Nygård, T, Falkdalen, U, Åström, J, Hamre, Ø, Stokke, BG. (2020). Paint it black: Efficacy of increased wind-turbine rotor blade visibility to reduce avian fatalities. *Ecol Evol.* 10: 8927– 8935. <https://doi.org/10.1002/ece3.6592>

New York University. 2019. Of all professions, construction workers most likely to use opioids and cocaine. *ScienceDaily*. ScienceDaily, 30 October 2019.  
<[www.sciencedaily.com/releases/2019/10/191030082825.htm](http://www.sciencedaily.com/releases/2019/10/191030082825.htm)>.

Newfoundland and Labrador Department of Tourism, Culture and Recreation. 1990. Historic Resources Act (1985). Archaeological Research Permit Regulations. Historic Resources Division, St. John's, NL.

Nimis, P.L., Scheidegger, C., & Wolseley, P.A. (2002). *Monitoring with lichens: Monitoring lichens*. Springer International Publishing.

NL Health Services. 2024. Job Openings. <https://www.easternhealth.ca/careers/>

NL Transportation and Works. 2018. Traffic Control Manual. <https://www.gov.nl.ca/ti/files/publications-traffic-control-2018.pdf>

Pescott, O.L., Simkin, J.M., August, T.A., Randle, Z., Dore, A.J., & Botham, M.S. (2015). Air pollution and its effects on lichens, bryophytes, and lichen-feeding Lepidoptera: review and evidence from biological records. *Biological Journal of the Linnean Society*, 115(3), 611-635.  
<https://doi.org/10.1111/bij.12541>

Poot, H., Ens, B.J., de Vries, H., Donners, M.A.H., Wernand, M.R., Marquenie, J.M. (2008). Green light for nocturnally migrating birds. *Ecology and Society.*, 13, 47. DOI:10.5751/ES-02720-130247

Province of Newfoundland and Labrador (NL). 2023. Government of Newfoundland and Labrador Releases Wind-Hydrogen Fiscal Framework. <https://www.gov.nl.ca/releases/2023/ecc/0223n05/>

- Public Health Ontario. 2022. Construction workers disproportionately impacted by opioid-related deaths, report finds. <https://canada.constructconnect.com/joc/news/ohs/2023/03/research-casts-doubt-on-toxic-drug-crisis-in-construction-bccsa>
- Rabin, L.A., Coss, R.G., & Owings, D.H. (2006). The effects of wind turbines on antipredator behavior in California ground squirrels (*Spermophilus beecheyi*). *Biological Conservation*, 131(3), 410-420. <https://doi.org/10.1016/j.biocon.2006.02.016>
- Reimer, J.P., Baerwald, E.F., and Barclay, R.M.R. (2010) Diet of Hoary (*Lasiurus cinereus*) and Silver-haired (*Lasionycteris noctivagans*) Bats While Migrating Through Southwestern Alberta in Late Summer and Autumn. *The American Midland Naturalist* 164(2), 230-237. <https://doi.org/10.1674/0003-0031-164.2.230sara>
- Roberge, P., Lemay, J., Ruel, J., Bégin-Drolet, A. (2023). The effect of icing severity on wind turbine ice protection systems efficiency. *Cold Regions Science and Technology*, 207, 103774. <https://doi.org/10.1016/j.coldregions.2023.103774>
- Rydell, J., Bach, L., Dubourg-Savage, M., Green, M., Rodrigues, L., & Hedenstrom, A. (2010). Mortality of bats at wind turbines links to nocturnal insect migration? *European Journal of Wildlife Research*, 56, 823-827. <https://doi.org/10.1007/s10344-010-0444-3>
- Santos, C.D., Ramesh, R., Ferraz, R., Franco, A.M., & Wikelski, M. (2022). Factors influencing wind turbine avoidance behaviour of a migrating soaring bird. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-10295-9>
- Schaub, A., Ostwald, J., & Siemers, B.M. (2008). Foraging bats avoid noise. *J Exp Biol*, 211 (19): 3174–3180. doi: <https://doi.org/10.1242/jeb.022863>
- Scholl, E.M., & Nopp-Mayr, U. (2021). Impact of wind power plants on mammalian and avian wildlife species in shrub- and woodlands. *Biological Conservation*, 256. <https://doi.org/10.1016/j.biocon.2021.109037>
- Siemers B.M. and Schaub, A. (2011). Hunting at the highway: traffic noise reduces foraging efficiency in acoustic predators. *Proc. R. Soc. B*.2781646–1652. <https://doi.org/10.1098/rspb.2010.2262>
- Staatliches Umweltamt Schleswig. (1999, November 19) Abgestimmte Randbedingungen und Basisgrößen für die Erstellung von Immissionsprognosen bezüglich des bewegten Schattenwurfs von im Land Schleswig-Holstein geplanten Windenergieanlagen [Coordinated boundary conditions and basic variables for the creation of immission forecasts regarding the moving

shadows cast by wind turbines planned in the state of Schleswig-Holstein]. Schleswig State Environmental Agency

Town of Placentia. 2024. Placentia, Newfoundland and Labrador. <https://www.placentia.ca/>

Trombulak, S. C., Fissell, C. A. (2000). Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology*, 14 (1), 18-30. <http://dx.doi.org/10.1046/j.1523-1739.2000.99084.x>

Tucker, VA. (2001). The deep fovea, sideways vision and spiral flight paths in raptors. *The Journal of experimental biology*. 203. 3745-54. 10.1242/jeb.203.24.3745.

Urziceanu, M., Anastasiu, P., Rozyłowicz, L., & Sesan, T.E. (2021). Local-scale impact of wind energy farms on rare, endemic, and threatened plant species. *PeerJ*, 9. <https://doi.org/10.7717/peerj.11390>

Urziceanu, M., Anastasiu, P., Rozyłowicz, L., & Sesan, T.E. (2021). Local-scale impact of wind energy farms on rare, endemic, and threatened plant species. *PeerJ*, 9. <https://doi.org/10.7717/peerj.11390>

Voigt C. C., Bernard E., Huang J. C., Frick W. F., Kerbiriou C., MacEwan K., Mathews F., Rodriguez-Duran A., Scholz C., Webala P. W., Welbergen J., Whitby M. (2024). Toward solving the global green–green dilemma between wind energy production and bat conservation. *Journal of BioScience*, 2024, Vol. 0, No. 0 <https://doi.org/10.1093/biosci/biae023>

Voigt, C. (2021). Insect fatalities at wind turbines as biodiversity sinks. *Conservation Science and Practice*, 3(5). <https://doi.org/10.1111/csp2.366>

Water Resources Act (SNL 2002, c W-4.01). <https://www.assembly.nl.ca/Legislation/sr/statutes/w04-01.htm>

Weldon, J., & Grandin, U. (2021). Weak recovery of epiphytic lichen communities in Sweden over 20 years of rapid air pollution decline. *The Lichenologist*, 53(2), 203-213. <https://doi.org/10.1017/S0024282921000037>

Willard, D. E. (1978). The impact of transmission lines on birds (and vice versa). Pages 3-7 in M. L. Avery. <https://pubs.usgs.gov/fwsobs/1978/0048/report.pdf>

Wind Energy IQ. (n.d.). Anti-icing and De-icing Technologies for Wind Turbines. <https://www.iqpc.com/media/1001147/37957.pdf>

Zimmerling, J. R., & Francis, C. M. (2016). Bat Mortality Due to Wind Turbines in Canada. *The Journal of Wildlife Management*, 80(8), 1360-1369. DOI: 10.1002/jwmg.21128

## Section 4.3

Department of Fisheries, Forestry & Agriculture. (2016). Five Year Sustainable Forest Management Plan for Forest Management District 01. <https://www.gov.nl.ca/ecc/projects/project-1863/>

Government of Canada. (2023). Canadian Climate Normals 1971-2000 Station Data, Long Harbour NL. [https://climate.weather.gc.ca/climate\\_normals/results\\_e.html?searchType=stnName&txtStationName=long+harbour&searchMethod=contains&txtCentralLatMin=0&txtCentralLatSec=0&txtCentralLongMin=0&txtCentralLongSec=0&stnID=6673&dispBack=1](https://climate.weather.gc.ca/climate_normals/results_e.html?searchType=stnName&txtStationName=long+harbour&searchMethod=contains&txtCentralLatMin=0&txtCentralLatSec=0&txtCentralLongMin=0&txtCentralLongSec=0&stnID=6673&dispBack=1)

trajectorE, 2024. Risk Assessment Workshop Report, PATT-2401-Argentia Renewables ERP, May 10, 2024.

Workplace NL 2022. Advancing a Strong Safety Culture in Newfoundland and Labrador A Workplace Injury Prevention Strategy 2018-2022

National Research Council of Canada. (2015). National Building Code of Canada. <https://nrc.canada.ca/en/certifications-evaluations-standards/codes-canada/codes-canada-publications/national-building-code-canada-2015>

Natural Resources Canada. (2021). Earthquake zones in Eastern Canada, <https://www.seismescanada.rncan.gc.ca/zones/eastcan-en.php>

## Chapter 8

Hospitality Newfoundland and Labrador [HNL]. (2024). Qalipu First Nation. <https://members.hnl.ca/list/member/qalipu-first-nation-36234>

Miawpukek First Nation [MFN]. (2024). About. <https://mfngov.ca/about/>